



Inovo Patio Door

Without Grids

Insulated Glass Unit Package	Low E Type	Gas	Spacer System	IG Thickness	Panes of Glass	U-Factor	R-Value	Solar Heat Gain Coefficient	Visible Transmittance	UV Block
						Total Unit	Total Unit	Total Unit	Total Unit	Center of Glass
Standard	ProSolar	Argon	Supercept	1"	2	0.28	3.57	0.26	0.49	73%
LowE softcoat Triple Glaze AR	ProSolar	Argon	Super Spacer	1 1/4"	3	0.23	4.35	0.24	0.45	73%
Sensor Glass - 366	ProSolar Shade	Argon	Supercept	1"	2	0.28	3.57	0.20	0.46	92%
Sensor Glass - LowE Softcoat	ProSolar	Argon	Supercept	1"	2	0.28	3.57	0.26	0.49	73%
Super Sensor Glass	ProSolar	Krypton	Super Spacer	1 1/4"	3	0.17	5.88	0.22	0.38	73%
Super Sensor Glass AR	ProSolar	Argon	Super Spacer	1 1/4"	3	0.19	5.26	0.22	0.38	73%
Super Sensor Glass 366 AR	ProSolar Shade	Argon	Super Spacer	1 1/4"	3	0.18	5.56	0.17	0.33	92%
Super Sensor Glass 366 KR	ProSolar Shade	Krypton	Super Spacer	1 1/4"	3	0.17	5.88	0.17	0.33	92%
Super Sensor Plus*	ProSolar	Krypton	Super Spacer	1"	3	0.26	3.85	0.26	0.48	99%
Super Sensor Plus AR *	ProSolar	Argon	Supercept	1"	2	0.27	3.70	0.26	0.48	99%
Super Sensor Plus 366 *	ProSolar Shade	Argon	Supercept	1"	2	0.27	3.70	0.20	0.45	99%
Solar system Glass	ProSolar	Krypton	Super Spacer	1"	2	0.26	3.85	0.24	0.42	73%
Solar system Glass AR	ProSolar	Argon	Supercept	1"	2	0.28	3.57	0.24	0.42	73%
Solar System Glass 366	ProSolar Shade	Argon	Supercept	1"	2	0.27	3.70	0.19	0.36	92%
ENERGY STAR Northern	ProSolar	Argon	Super Spacer	1"	2	0.28	3.57	0.26	0.49	73%
ENERGY STAR North Central	ProSolar	Argon	Super Spacer	1"	2	0.28	3.57	0.26	0.49	73%
ENERGY STAR South Central	ProSolar Shade	Argon	Super Spacer	1"	2	0.27	3.70	0.20	0.46	92%
ENERGY STAR Southern	ProSolar Shade	Argon	Super Spacer	1"	2	0.27	3.70	0.2	0.46	92%
Sound & Security Northern*	ProSolar	Argon	Super Spacer	1"	2	0.27	3.70	0.26	0.48	99%
Sound & Security North Central*	ProSolar	Argon	Super Spacer	1"	2	0.27	3.70	0.26	0.48	99%
Sound & Security South Central*	ProSolar Shade	Argon	Super Spacer	1"	2	0.27	3.70	0.20	0.45	99%
Sound & Security Southern*	ProSolar Shade	Argon	Super Spacer	1"	2	0.27	3.70	0.20	0.45	99%

Please consult your Simonton Representative for additional glass package offerings.

PD Note:

The thermal data is based on 6068 standard unit options; change in size or Performance Rating (DP) may require an insulating glass package upgrade.

* 0.060 PVB Laminated lite

This document is for reference only. It is the customers responsibility to verify all certifications and energy related compliances with their order confirmation.



Inovo Patio Door

Without Grids

Insulated Glass Unit Package	Low E Type	Gas	Spacer System	IG Thickness	Panes of Glass	U-Factor	R-Value	Solar Heat Gain Coefficient	Visible Transmittance	UV Block
						Total Unit	Total Unit	Total Unit	Total Unit	Center of Glass
Standard	ProSolar	Argon	Supercept	1"	2	0.28	3.57	0.23	0.43	73%
LowE softcoat Triple Glaze AR	ProSolar	Argon	Super Spacer	1 1/4"	3	0.23	4.35	0.21	0.39	73%
Sensor Glass - 366	ProSolar Shade	Argon	Supercept	1"	2	0.28	3.57	0.17	0.40	92%
Sensor Glass - LowE Softcoat	ProSolar	Argon	Supercept	1"	2	0.28	3.57	0.23	0.43	73%
Super Sensor Glass	ProSolar	Krypton	Super Spacer	1 1/4"	3	0.18	5.56	0.20	0.33	73%
Super Sensor Glass AR	ProSolar	Argon	Super Spacer	1 1/4"	3	0.19	5.26	0.20	0.33	73%
Super Sensor Glass 366 AR	ProSolar Shade	Argon	Super Spacer	1 1/4"	3	0.19	5.26	0.15	0.29	92%
Super Sensor Glass 366 KR	ProSolar Shade	Krypton	Super Spacer	1 1/4"	3	0.17	5.88	0.15	0.29	92%
Super Sensor Plus*	ProSolar	Krypton	Super Spacer	1"	3	0.26	3.85	0.23	0.42	99%
Super Sensor Plus AR *	ProSolar	Argon	Supercept	1"	2	0.27	3.70	0.23	0.42	99%
Super Sensor Plus 366 *	ProSolar Shade	Argon	Supercept	1"	2	0.27	3.70	0.17	0.39	99%
Solar system Glass	ProSolar	Krypton	Super Spacer	1"	2	0.26	3.85	0.21	0.36	73%
Solar system Glass AR	ProSolar	Argon	Supercept	1"	2	0.28	3.57	0.21	0.36	73%
Solar System Glass 366	ProSolar Shade	Argon	Supercept	1"	2	0.27	3.70	0.17	0.32	92%
ENERGY STAR Northern	ProSolar	Argon	Super Spacer	1"	2	0.28	3.57	0.23	0.43	73%
ENERGY STAR North Central	ProSolar	Argon	Super Spacer	1"	2	0.28	3.57	0.23	0.43	73%
ENERGY STAR South Central	ProSolar Shade	Argon	Super Spacer	1"	2	0.27	3.70	0.17	0.40	92%
ENERGY STAR Southern	ProSolar Shade	Argon	Super Spacer	1"	2	0.27	3.70	0.17	0.40	92%
Sound & Security Northern*	ProSolar	Argon	Super Spacer	1"	2	0.27	3.70	0.23	0.42	99%
Sound & Security North Central*	ProSolar	Argon	Super Spacer	1"	2	0.27	3.70	0.23	0.42	99%
Sound & Security South Central*	ProSolar Shade	Argon	Super Spacer	1"	2	0.27	3.70	0.17	0.39	99%
Sound & Security Southern*	ProSolar Shade	Argon	Super Spacer	1"	2	0.27	3.70	0.17	0.39	99%

Please consult your Simonton Representative for additional glass package offerings.

Links of Interest:

[Energy-efficient Windows and Doors](#)

[Glossary of Terms](#)

<http://nfr.org>

<https://www.energystar.gov/>

<http://efficientwindows.org/understanding.php>

PD Note:

The thermal data is based on 6068 standard unit options; change in size or Performance Rating (DP) may require an insulating glass package upgrade.

* 0.060 PVB Laminated lite