



## ProFinish Brickmould 600 Geometric

### Without Grids

Insulated Glass Unit Package	Low E Type	Gas	Spacer System	IG Thickness	Panels of Glass	U-Factor	R-Value	Solar Heat Gain Coefficient	Visible Transmittance	UV Block
						Total Unit	Total Unit	Total Unit	Total Unit	Center of Glass
Standard	ProSolar	Argon	Super Spacer	7/8"	2	0.29	3.45	0.29	0.54	73%
Solar System 366	ProSolar Shade	Argon	Super Spacer	7/8"	2	0.28	3.57	0.20	0.40	92%
ENERGY STAR Northern	ProSolar Sun	Argon	Super Spacer	7/8"	2	0.30	3.33	0.51	0.62	71%
ENERGY STAR North Central	ProSolar	Argon	Super Spacer	3/4"	2	0.29	3.45	0.29	0.54	73%
ENERGY STAR South Central	ProSolar Shade	Argon	Super Spacer	3/4"	2	0.29	3.45	0.22	0.50	92%
ENERGY STAR Southern	ProSolar Shade	Argon	Super Spacer	3/4"	2	0.29	3.45	0.22	0.50	92%
SafePoint - Sound & Security*	Prosolar	Argon	Super Spacer	7/8"	2	0.29	3.45	0.29	0.54	99%
SafePoint - Storm*	Prosolar	Argon	Super Spacer	7/8"	2	0.29	3.45	0.29	0.54	99%

### With Grids

Insulated Glass Unit Package	Low E Type	Gas	Spacer System	IG Thickness	Panels of Glass	U-Factor	R-Value	Solar Heat Gain Coefficient	Visible Transmittance	UV Block
						Total Unit	Total Unit	Total Unit	Total Unit	Center of Glass
Standard	ProSolar	Argon	Super Spacer	7/8"	2	0.29	3.45	0.26	0.48	73%
Solar System 366	ProSolar Shade	Argon	Super Spacer	7/8"	2	0.28	3.57	0.19	0.35	92%
ENERGY STAR Northern	ProSolar Sun	Argon	Super Spacer	3/4"	2	0.30	3.33	0.45	0.55	71%
ENERGY STAR North Central	ProSolar	Argon	Super Spacer	3/4"	2	0.29	3.45	0.26	0.48	73%
ENERGY STAR South Central	ProSolar Shade	Argon	Super Spacer	3/4"	2	0.29	3.45	0.20	0.45	92%
ENERGY STAR Southern	ProSolar Shade	Argon	Super Spacer	3/4"	2	0.29	3.45	0.20	0.45	92%
SafePoint - Sound & Security*	Prosolar	Argon	Super Spacer	7/8"	2	0.32	3.13	0.26	0.48	99%
SafePoint - Storm*	Prosolar	Argon	Super Spacer	7/8"	2	0.32	3.13	0.26	0.48	99%

Please consult your Simonton Representative for additional glass package offerings.

#### Links of Interest:

- [Energy-efficient Windows and Doors](#)
- [Glossary of Terms](#)
- <http://nfr.org>
- <https://www.energystar.gov/>
- <http://efficientwindows.org/understanding.php>

#### Note:

The thermal data is based on standard unit options; change in Performance Rating (DP) may require an insulating glass package upgrade.

\* 0.090 PVB Laminated lite - Tempered